HIGH SCORE & MULTIPLAY

It's player vs. player time so level up and game on with Bentley's newest designs, High Score™ and Multiplay™.

Make an upgrade from the standard quick-ship game and gain momentum with Bentley's Fast Track program. Quick-ship any of the 13 colorways, broadloom or tile, within 10 business days from order and rack up on all the bonus points! Step up to the joystick and rank amongst the best!

FAST TRACK QUICK SHIP

HIGH SCORE™

ALL COST

B

4HOT40AA0T Level Up 401370 18 in x 36 in

MULTIPLAY™

4MYT40AA0T Level Up 401370 18 in x 36 in

Brick



HIGH SCORE

4HOT40AA0T Gamer 401371 18 in x 36 in

Herringbone





MULTIPLAY

4MYT40220T Avatar 401379 24 in x 24 in

Monolithic

1	↑	↑	
1	↑	↑	↑
1	↑	1	↑
1	↑		↑





HIGH SCORE

4H0T40220T Avatar 401379 Super Evolution 401380 24 in x 24 in **WHEE**

Monolithic







HIGH SCORE

4HOT40620R Fan Boy 401377 12 ft

Broadloom

0



國用認識

Brick



HIGH SCORE

4HOT40220T Noobie 401376 24 in x 24 in

MULTIPLAY

4MYT40220T Noobie 401376 24 in x 24 in

Ashlar





4MYT40620R Fan Boy 401377 12 ft

Broadloom





14日初1個

HIGH SCORE


4HOT40220T Noobie 401376 24 in x 24 in

MULTIPLAY


4MYT40220T Noobie 401376 24 in x 24 in

Brick





HIGH SCORE AND MULTIPLAY color line as featured in architect folder.





Cheat Code 401382

The printed images may not be an accurate reproduction of the products' actual colorways. We strive to offer an authentic representation, but images may vary according to press run. These images are intended as a guide only. If you would like a sample of this product, please call Customer Care at 800.423.4709.

SPECIFICATIONS

Style Number **Product Construction** Fiber Dye Method Soil/Stain Protection Secondary Backing Broadloom Carpet Tile Machine Gauge Stitches Broadloom Carpet Tile Pile Density Total Weight High PerformancePC Broadloom NexStep® Cushion Tile AFIRMA[™] Hardback Tile Total Thickness High PerformancePC Broadloom NexStep® Cushion Tile AFIRMA[™] Hardback Tile Pattern Repeat Broadloom

Carpet Tile Radiant Panel Smoke Density Static Flammability

HIGH SCORE™

4HOT4 Tufted Textured Loop Antron[®] Lumena[™] Type 6,6 Nylon Solution Dye XTERA[™]

High PerformancePC NexStep® Cushion Tile / AFIRMA™ Hardback Tile 1/12 in (47.2 ends/10 cm)

11.0/in (43.3 ends/10 cm) 11.0/in (43.3 ends/10 cm) 4,891 oz/yd³

50 oz/yd² (1,695.3 g/m²) 88 oz/yd² (2,983.7 g/m²) 79 oz/yd² (2,678.6 g/m²)

0.240 in (6.1 mm) 0.340 in (8.6 mm) 0.220 in (5.6 mm)

72 in W x 46-13/32 in L (182.88 cm W x 117.87 cm L) (Pattern match not required) None Passes Class 1, ≥ 0.45 W/cm² (ASTM-E648) < 450 dm Corrected (ASTM-E662), Flaming ≤ 3.5 kV (AATCC-134), Step Passes Methenamine Pill Test (CPSC-FF1-70)

MULTIPLAY™

4MYT4 Tufted Textured Loop Antron® Lumena[™] Type 6,6 Nylon Solution Dye XTERA™

High PerformancePC NexStep® Cushion Tile / AFIRMA™ Hardback Tile 1/12 in (47.2 ends/10 cm)

10.3/in (40.6 ends/10 cm) 10.3/in (40.6 ends/10 cm) 4,647 oz/yd³

50 oz/yd² (1,695.3 g/m²) 88 oz/yd² (2,983.7 g/m²) 79 oz/yd² (2,678.6 g/m²)

0.245 in (6.2 mm) 0.345 in (8.8 mm) 0.225 in (5.7 mm)

36 in W x 45 in L (91.44 cm W x 114.30 cm L) (Pattern match not required) None Passes Class 1, ≥ 0.45 W/cm² (ASTM-E648) < 450 dm Corrected (ASTM-E662), Flaming ≤ 3.5 kV (AATCC-134), Step Passes Methenamine Pill Test (CPSC-FF1-70)

Please inquire about product warranties for specific backing options. High Score and Multiplay is available in 13 standard colorways.

STYLE NUMBERS

 HIGH SCORE
 MULTIPLAY

 4HOT40620R
 4MYT40620R

 4HOT406A0T
 4MYT40AA0T

 4HOT40220T
 4MYT40220T

 4HOT40AA0K
 4MYT40AA0K

 4HOT40220K
 4MYT40AA0K

BACKING


High PerformancePC Broadloom NexStep® Cushion Tile NexStep® Cushion Tile AFIRMA™ Hardback Tile AFIRMA™ Hardback Tile



antron (2

12 ft — (3.657) also available in area rugs 18 in x 36 in (45.72 cm x 91.44 cm) 24 in x 24 in (60.96 cm x 60.96 cm) 18 in x 36 in (45.72 cm x 91.44 cm) 24 in x 24 in (60.96 cm x 60.96 cm)






Bentley's High PerformancePC, NexStep® Cushion Tile, and AFIRMA[™] Hardback Tile products are Cradle to Cradle Certified[™] Silver. Bentley products are also certified under the NSF/ ANSI Standard 140 – Sustainable Carpet Assessment (NSF 140). Six of Bentley's standard backing products are NSF 140 certified at the Gold level or above. Bentley's carpet products are manufactured in our California mill, a LEED for Existing Buildings: Operations and Maintenance (LEED®-EBOM) Gold certified facility.

Patterned carpet may require special attention by the installer to assure a suitable match, and must be addressed in the original labor quotation. Products that go through the shearing process may result in a small loss of yarn weight. Slight variations in color among different production lots are normal and should be considered in the overall installation plan. Carpet specifications and components are subject to normal manufacturing tolerances and may change without notice. Technical performance characteristics are subject to adjustment based on results of post-manufacture testing. Product warranted in accordance with the terms and conditions of Bentley's standard printed warranty in effect at time product is sold. All other warranties, including without limitation any implied warranties of merchantability or fitness for a particular purpose, are hereby disclaimed. Made in USA. Warning: unauthorized reproduction of this carpet design constitutes copyright infringement. ©2015 Bentley Mills, Inc.





800.423.4709 | BENTLEYMILLS.COM 14641 E. DON JULIAN ROAD, CITY OF INDUSTRY, CA 91746