

Declare.

EliteFlex™ 6 ft Cushion Bentley Mills, Inc.

Final Assembly: City of Industry, California, United States of America

Life Expectancy: 20 Year(s)

Embodied Carbon: 8.55 kg CO₂ 

Declared Unit: kg CO₂e/m²

End of Life Options: Take Back Program (FULFILL), Recyclable (100%)

EU CoC Screened: Does Not Contain

Ingredients:

Calcium Carbonate; Acetic acid ethenyl ester, polymer with ethene; Oxirane, methyl-, polymer with oxirane, ether with 1,2,3-propanetriol (3:1); Poly[imino(1,6-dioxo-1,6-hexanediy)imino-1,6-hexanediy]; Polyethylene Terephthalate; Glass, oxide, chemicals; Nylon 6; Polymethylene polyphenyl isocyanate; 2-Propenoic acid, methyl ester, polymer with ethene; Aluminum hydroxide; Polyethylene; Polymer; Terpenes and Terpenoids, turpentine-oil, .alpha.-pinene fraction, polymers with phenol; Carbon black; Quartz; Poly(oxy-1,2-ethanediy), α -dodecyl- ω -hydroxy-; Carbonic acid, magnesium salt (1:1); Titanium dioxide; Anthra[2,1,9-def:6,5,10-d'e'f'] diisoquinoline-1,3,8,10(2H,9H)-tetrone, 2,9-bis(3,5-dimethylphenyl)-; Bismuth vanadium oxide (BiVO₄); C. I. Pigment Blue 15; C.I. Pigment Brown 24; C.I. Pigment Green 7; Diindolo[3,2-b:3',2'-m]triphenodioxazine, 8,18-dichloro-5,15-diethyl-5,15-dihydro-; Diiron Trioxide; Benzenesulfonic acid, dodecyl-, branched, sodium salt; Polypropylene; 2-Propenoic acid, homopolymer, sodium salt; Dodecans Σ uremethylester, ethoxyliert, EO 6 bis 15 mol; Acetic acid ethenyl ester, polymer with ethenol; Acetic acid, sodium salt; Caprolactam

Living Building Challenge Criteria: Compliant

I-13 Red List:

- LBC Red List Free % Disclosed: 100% at 100ppm
- LBC Red List Approved VOC Content: Not Applicable
- Declared

I-10 Interior Performance: CDPH Standard Method v1.2-2017

I-14 Responsible Sourcing: Not Applicable

BMI-0007
EXP. 01 MAR 2026
SCREENED: 20 FEB 2025
Original Issue Date: 2022

